

TRANSACTION DETAILS

Consumer / Generator Name	Sri_Rammohan_Textiles	
HTSC	079094620203	
EDC	Virudhu Nagar	Utility Type:
Energy Statement Period	01/07/2025	TO 31/07/2025
Drawal Point	11 KV	
Loss Percentage	4.29 %	

DATE	C1 (06:00-10:00)	C2 (18:00-22:00)	C3 (Nil-Nil)	C4 (10:00-18:00, 05:00-06:00)	C5 (00:00-05:00, 22:00-24:00:00)
01-07-2025	0.00	0.00	0.00	0.00	0.00
02-07-2025	0.00	0.00	0.00	0.00	0.00
03-07-2025	0.00	0.00	0.00	0.00	0.00
04-07-2025	0.00	0.00	0.00	0.00	0.00
05-07-2025	0.00	0.00	0.00	0.00	0.00
06-07-2025	0.00	0.00	0.00	0.00	0.00
07-07-2025	3675.26	1378.22	0.00	0.00	0.00
08-07-2025	3675.26	1148.52	0.00	0.00	0.00
09-07-2025	3675.26	918.82	0.00	0.00	0.00
10-07-2025	2986.15	918.82	0.00	0.00	0.00
11-07-2025	3675.26	918.82	0.00	0.00	0.00
12-07-2025	2986.15	459.41	0.00	0.00	0.00
13-07-2025	3675.26	1378.22	0.00	0.00	0.00
14-07-2025	3675.26	459.41	0.00	0.00	0.00
15-07-2025	3675.26	689.11	0.00	0.00	0.00
16-07-2025	0.00	0.00	0.00	0.00	0.00
17-07-2025	0.00	0.00	0.00	0.00	0.00
18-07-2025	0.00	0.00	0.00	0.00	0.00
19-07-2025	0.00	0.00	0.00	0.00	0.00
20-07-2025	3675.26	2986.15	0.00	0.00	0.00
21-07-2025	3675.26	689.11	0.00	0.00	0.00
22-07-2025	3675.26	918.82	0.00	0.00	0.00
23-07-2025	0.00	0.00	0.00	0.00	0.00
24-07-2025	0.00	0.00	0.00	0.00	0.00
25-07-2025	0.00	0.00	0.00	0.00	0.00
26-07-2025	0.00	0.00	0.00	0.00	0.00
27-07-2025	0.00	0.00	0.00	0.00	0.00
28-07-2025	0.00	0.00	0.00	0.00	0.00
29-07-2025	0.00	0.00	0.00	0.00	0.00
30-07-2025	0.00	0.00	0.00	0.00	0.00
31-07-2025	0.00	0.00	0.00	0.00	0.00
Total	42724.94	12863.42	0.00	0.00	0.00

1. Details of Power Purchased through M/s.IEX and Energy to be adjusted in slotwise consumption
2. The necessary wheeling charges shall be calculated & collected at EDC, if applicable
3. Energy scheduled at drawal point after deducting State T & D losses

Executive Engineer ,
O/o.SE/Comml.Opn / TAN
 A Subsidiary of TNEB Li

Drawee
Energy in KWHr
Total
0.00
0.00
0.00
0.00
0.00
0.00
5053.49
4823.78
4594.08
3904.97
4594.08
3445.56
5053.49
4134.67
4364.38
0.00
0.00
0.00
0.00
6661.42
4364.38
4594.08
0.00
0.00
0.00
0.00
0.00
0.00
0.00
0.00
0.00
0.00
0.00
55588.37
/ OA JTRANSCO mited